

NOT TO SCALE

07-001.01


W-1

03-12-07

WETLANDS PLANS FOR HWY. 190 BYPASS DEVELOPMENT SECTION 45, TOWNSHIP 6 SOUTH, RANGE 11 EAST ST. TAMMANY PARISH, LOUISIANA

CE I COOPER FIGURERING, INC.

Civil Engineering * Planning Environmental P.O. Box 1870 Covington, Louisiana 70434 (985) 845-8155



LEGEND:



WETLANDS - ±0.70 ACRES

EXISTING SITE WITH WETLANDS

SCALE: 1" = 80'

07-001.01

W-2

03-09-07


WETLANDS PLANS FOR HWY. 190 BYPASS DEVELOPMENT

SECTION 45, TOWNSHIP 6 SOUTH, RANGE 11 EAST

ST. TAMMANY PARISH, LOUISIANA


CEI COOPER ENGINEERING, INC.

Civil Engineering Planning Environmental
P.O. Box 1870 Covington, Louisiana 70434 (985) 845-8155



NOTE: DITCH IN THIS AREA IS TO MEANDER WITH THE 40' DRAINAGE SERVITUDE SO AS TO AVOID REMOVAL OF EXISTING LARGE TREES.

40' DRAINAGE SERVITUDE SECTION



WETLANDS IMPACTED - ±0.70 ACRES

DEVELOPED SITE WITH WETLANDS

SCALE: 1" = 80'

07-001

W-3

WETLANDS PLANS FOR


HWY. 190 BYPASS DEVELOPMENT

SECTION 45, TOWNSHIP 6 SOUTH, RANGE 11 EAST

ST. TAMMANY PARISH, LOUISIANA

CEI COOPER ENGINEERING, INC.

Civil Engineering Planning Environmental
P.O. Box 1870 Covington, Louisiana 70434 (985) 845-8155



NOTES:

AVERAGE LOT SIZE IS $\pm 104,556$ S.F. ALL OF THE LOTS IN FLOOD ZONE "C". ONLY FILL REQUIRED IS TYPICAL TO CONSTRUCT BUILDING SLAB AND PAVEMENT ON GRADE.

TYPICAL BUILDING SLAB TO BE FILLED ABOUT 1 1/2'(1.5 FOOT) ABOVE EXISTING GRADE. THEREFORE TOTAL YARDS OF FILL BENEATH BUILDINGS = ± 1130 CUBIC YARDS.

TYPICALLY PARKING LOT AREA TO BE FILLED MAXIMUM 6" ABOVE NATURAL GRADE. THEREFORE TOTAL ESTIMATED FILL FOR PAVING = ±960 CUBIC YARDS.

TOTAL ESTIMATED FILL REQUIRED FOR BUILDING IN WETLANDS IS APPROX. ±185 CUBIC YARDS.

TOTAL ESTIMATED FILL REQUIRED FOR PAVED AREA IN WETLANDS IS APPROX. ±264 CUBIC YARDS.

TYPICAL DEVELOPED LOT

NOT TO SCALE

07-001.01


W-4

00-00-00

WETLANDS PERMIT
HWY. 190 BYPASS DEVELOPMENT
SECTION 45, TOWNSHIP 6 SOUTH, RANGE 11 EAST
ST. TAMMANY PARISH, LOUISIANA

CEI COOPER EGINEERING, INC.


Civil Engineering • Planning • Environmental
P.O. Box 1870 Covington, Louisiana 70434 (985) 845-8155



TYPICAL DRIVE AREA PAVING SECTION

NOT TO SCALE

- 1. 6" TK. PCCP, HAVING MINIMUM OF 4000 PSI STRENGTH AT 28 DAY BREAK.
- (2) 12" TK. SELECT BACKFILL, PI<6._
- (3.) NATURAL GROUND TO BE PROOF ROLLED. ANY PUMPING AREAS TO BE EXCAVATED A MINIMUM OF 2" AND BACKFILL WITH SELECT BACKFILL, SEE NO. 2 ABOVE.



TYPICAL PARKING PAVING SECTION

NOT TO SCALE

- 1. 5" TK. PCCP, HAVING MINIMUM OF 4000 PSI STRENGTH AT 28 DAY BREAK.
- (2) 12" TK. SELECT BACKFILL, PI<6._
- (3.) NATURAL GROUND TO BE PROOF ROLLED. ANY PUMPING AREAS TO BE EXCAVATED A MINIMUM OF 2" AND BACKFILL WITH SELECT BACKFILL, SEE NO. 2 ABOVE.

07-001.01

5 5

W-6

00-00-00

WETLANDS PLANS FOR

HWY. 190 BYPASS DEVELOPMENT SECTION 45, TOWNSHIP 6 SOUTH, RANGE 11 EAST ST. TAMMANY PARISH, LOUISIANA

CEI COOPER FIGINEERING, INC.

Civil Engineering • Planning Environmental
P.O. Box 1870 Covington, Louisiana 70434 (985) 845-8155